SKH107

CORPSE TRANSPORTATION





SKH107

FEATURES AND HIGHLIGHTS

Technical parameters

 External size (LxWxH) 	2050x780x900 mm
Safe working load	150 kg

Technical configuration





Design feature

Convenient for transportation, facilitating operations.



Material

Constructed entirely from corrosionresistant 304 stainless steel pipes, with a pipe thickness of 1.5mm, durable and easy to clean, with strong weight-bearing capacity.



Frame design

Sturdy frame design for increased stability, capable of supporting up to 150kg.



Casters

Equipped with four 5-inch swivel casters for easy mobility and secure braking.



Tabletop

The tabletop features a groove design, preventing liquid seepage and facilitating easy cleaning. It has drainage holes for efficient waste disposal.

















Design

Research

Manufacturing

Maintenance

Service



USA

 ${\sf Saikang\,Medical\,Technology,Inc.}$ 17800 Castleton St Ste 180, City of Industry, 91748, California. Tel.: +1 949648 2776

United Kingdom

UK Healthward International Ltd. Dept. 111, 196 High Road Wood Green, N22 8HH, London. Tel.: +44 2032399738

Russia

Saikang Medical Russia LLC Truda 174, 454080 Chelyabinsk. Tel.: +7 (351) 214 5566 / 8811 / 1516

East Africa

Saikang Medical Solutions Ltd. Viraj Complex Unit 3, Mombasa Road, P.O. Box 14262-00800, Nairobi. Kenya. Tel.: +254 733 704 690


Middle East

Saikang Medical Supplies LLC X22-S03 England Cluster, International City, Dubai. United Arab Emirates. Tel.: +20 128 8962497



STOCK CODE: 870098





export@skmortech.com

www.skmortech.com















